European Journal of Orthodontics 16 (1994) 551–556

© 1994 European Orthodontic Society

European Journal of Orthodontics

Volume 16 (1994) Subject entries

Activator and activator headgear
Class II: a comparison of ... combination appliances 149
Adhesive resin
Use of an ... for bonding orthodontic brackets 27
Adolescents
Osseointegrated implants in ... 84
Alignment
The ... of permanent mandibular incisors in children 121
Anterior facial skeleton
A morphometric study in the ... of the growing rat 353
Arachidonic acid
Bradykinin and thrombin stimulate release of ... and formation of prostanoids in human periodontal ligament cells 213
Arches
Effect of timing and method of closure of isolated cleft palate on development of ... from 3 to 6 years of age 377
Atlas morphology
... in relation to craniofacial morphology and head posture 96

Bilaterally impacted maxillary canines ... 325
Blood circulation
Changes in ... in teeth and supporting tissues incident to experimental tooth movement 361
Blood flow changes
... in permanent maxillary canines during retraction 1
Bond failure
A 5-year clinical review of ... with a no-mix adhesive (Right-on®) 203
Bonding
Use of an adhesive resin for ... orthodontic brackets 27
Bracket placement
An evaluation of a light-curing composite for ... 541
Bradykinin stimulate release
... of arachidonic acid and formation of prostanoids in human periodontal ligament cells 213

^{45}Ca release
... and osteoclast differentiation and migration 130
Canine retraction
The effects of different sectional arches in ... 317
Cephalometric analysis
Juvenile chronic arthritis: a ... of the facial skeleton 53
Cephalometric evaluation
A long-term ... of treated Class II division 2 malocclusions 301
Cephalometric landmarks
Validity of ... 110
Cephalometric standards
Longitudinal ... for Norwegians between the ages of 6 and 18 years 501
Cervicovertebral anatomy
Head posture and ... as mandibular growth predictors 175
Cheek pressure
Changes in ... following rapid maxillary expansion 295
Child's dentition
Parents' views on their own ... compared with an orthodontist's assessment 309
Class I malocclusion
Differences in dental arch morphology among adult females with untreated ... 47
Class II
...: a comparison of activator and activator headgear combination appliances 149
Class II division 2 malocclusions
A long-term cephalometric evaluation of treated ... 301
Class II malocclusion
Differences in dental arch morphology among adult females with untreated ... 47
Class III malocclusion
... in the deciduous dentition 401
The identification of ... by discriminant analysis 71
Cleft palate
Effect of timing and method of closure of isolated ... on development of arches from 3 to 6 years of age 377
One-stage closure of isolated ... with the Veau-Wardill-Kilner V to Y pushback procedure or the Cronin modification 63
Closed coil springs
Force system developed from ... 531
Closure of isolated cleft palate
Effect of timing and method of ... on development of dental arches from 3 to 6 years of age 377
Combination appliances
Class II: a comparison of activator and activator headgear ... 149
Craniofacial morphology
... in patients with multiple congenitally missing permanent teeth 104
Atlas morphology in relation to ... and head posture 96
Cronin modification
One-stage closure of isolated cleft palate with the Veau-Wardill-Kilner V to Y pushback procedure or the ... 63
Cross-bite
A modified palatal arch for treatment of unilateral functional ... in the primary dentition 35
Crystal growth solutions
An *in vitro* study of the effects of different ... on the topography of the enamel surface 11

Deciduous dentition
Class III malocclusion in the ... 401
Dental arch morphology
Differences in ... among adult females with untreated Class I and Class II malocclusion 47
Dental arches
Effect of timing and method of closure of isolated cleft palate on development of ... from 3 to 6 years of age 377
Mathematical definition of the shape of ... in human permanent healthy dentitions 287

Dentitions
A comparison of medieval and modern ... 163
Dentofacial changes
The association between spontaneous reversal of gingival recession in mandibular incisors and ... in children 229
Discriminant analysis
The identification of Class III malocclusions by ... 71

Embryonic mouse long bones
Effects of TGF-β2 on mineral resorption in cultured ... 130
Enamel sealants
...: a clinical evaluation of their value during fixed appliance therapy 19
Enamel surface
An *in vitro* study of the effects of different crystal growth solutions on the topography of ... 11

Facebow injuries
Orthodontic ... and safety equipment 385
Facial profile changes
... during and after Herbst appliance treatment 275
Facial skeleton
Juvenile chronic arthritis: a cephalometric analysis of the ... 53
Fixed appliance therapy
Enamel sealants: a clinical evaluation of their value during ... 19
Force system
... developed from closed coil springs 531
Functional influence
... on sutural growth 353

Gingival crevicular fluid
The monitoring of orthodontic tooth movement over a 2-year period by analysis of ... 511
Gingival recession
The association between spontaneous reversal of ... in mandibular incisors and dentofacial changes in children 229
Glove use
... by orthodontists in England and Wales 241

Head posture
... and cervicovertebral anatomy as mandibular growth predictors 175
Atlas morphology in relation to craniofacial morphology and ... 96
Herbst appliance
Facial profile changes during and after ... treatment 275
Hyalinized tissue
Multi-nucleated cells remove the main ... and start resorption of adjacent root surfaces 265
Hyalinized zone
Root resorption beneath the main ... 249
Hypopituitary dwarf mouse
Growth of the nasal septum in the Snell strain of ... 138

Intra-batch variation
Effects of ... on the characteristics of super-elastic Ni-Ti wires in three-point bending 421
Isolated cleft palate
Effect of timing and method of closure of ... on development of dental arches from 3 to 6 years of age 377
One-stage closure of ... with the Veau–Wardill–Kilner V to Y pushback procedure or the Cronin modification 63

Juvenile chronic arthritis
...: a cephalometric analysis of the facial skeleton 53

Light curing composite
An evaluation of a ... for bracket placement 541
Light maxillary expansion forces
... with the magnetic expansion device 479
Longitudinal cephalometric standards
... for Norwegians between the ages of 6 and 18 years 501

Magnetic expansion device
Light maxillary expansion forces with the ... 479
Mandibular arch
The role of occlusal discrepancies in the long-term stability of the ... 521
Mandibular growth predictors
Head posture and cervicovertebral anatomy as ... 175
Mandibular incisors
The alignment of permanent ... in children 110
The association between spontaneous reversal of gingival recession in ... and dentofacial changes in children 229
Mandibular tooth agenesis
Aetiological aspects of ... 371
Mathematical definition
... of the shape of dental arches in human permanent healthy dentitions 287
Maxillary canines
Bilaterally impacted ... 325, 1
Blood flow changes in permanent ... during retraction 1
Maxillary expansion
Changes in cheek pressure following rapid ... 295
Medieval dentitions
A comparison of ... with modern 163
Mineral resorption
Effects of TGF-β2 on ... in cultured embryonic mouse long bones 130
Modern dentitions
A comparison of medieval with ... 163
Morphometric study
A ... in the anterior facial skeleton of the growing rat 353
Multi-nucleated cells
... remove the main hyalinized tissue and start resorption of adjacent root surfaces 265
Multiple congenitally missing permanent teeth
Craniofacial morphology in patients with ... 104

Nasal septum
Growth of the ... in the Snell strain of hypopituitary dwarf mouse 138
Need for orthodontic treatment
The ... in the child population of the United Kingdom 395
Nerve
Aetiological aspects of mandibular tooth agenesis—focusing on the role of ... 371
Ni-Ti wires
The characteristics of super-elastic ... in three-point bending. Part I: the effect of temperature 409

The characteristics of super-elastic ... in three-point bending. Part II: intra-batch variation 421
No-mix adhesive
A 5-year clinical review of bond failure with a ... 203
Norwegians
Longitudinal cephalometric standards for ... between the ages of 6 and 18 years 501

Occlusal discrepancies
The role of ... in the long-term stability of the mandibular arch 521
Oral mucosa
Aetiological aspects of mandibular tooth agenesis—focusing on ... 371
Orthodontic anchorage
Osseointegrated implants as ... in the treatment of partially edentulous adult patients 187
Orthodontic brackets
Use of an adhesive resin for bonding ... 27
Orthodontic facebow injuries
... and safety equipment 385, 6
Orthodontic tooth movement
Evaluation of standardized methods for registration of time-dependent ... 41
The monitoring of ... over a 2-year period by analysis of gingival crevicular fluid 511
Orthodontic treatment
The need for ... in the child population of the United Kingdom 393
Orthodontic treatment regimes
Evaluation of root resorption in relation to two ... 223
Orthodontist's assessment
Parents' views on their own child's dentition compared with an ... 309
Orthognathic surgery
Short-term consequences of ... on stomatognathic function 491
Osseointegrated implants
... as orthodontic anchorage in the treatment of partially edentulous adult patients 187
... in adolescents 84
Osteoclast differentiation and migration
^{45}Ca release and ... 130

Palatal arch
A modified ... for treatment of unilateral functional cross-bite in the primary dentition 35
Parent's views
... on their own child's dentition compared with an orthodontist's assessment 309
Partially edentulous adult patients
Osseointegrated implants as orthodontic anchorage in the treatment of ... 187
Periodontal ligament cells
Bradykinin and thrombin stimulate release of arachidonic acid and formation of prostanoids in human ... 213
Permanent healthy dentitions
Mathematical definition of the shape of dental arches in human ... 287
Primary dentition
A modified palatal arch for treatment of unilateral functional cross-bite in ... 35
Prostanoids
Bradykinin and thrombin stimulate release of arachidonic acid and formation of ... in human periodontal ligament cells 213

Removable appliance treatment
Factors influencing the outcome and duration of ... 181
Retraction
Blood flow changes in permanent maxillary canines during ... 1
The effects of different sectional arches in canine ... 317
Right-on®
A 5-year clinical review of bond failure with ... 203
Root resorption
... beneath the main hyalinized zone 249
Evaluation of ... in relation to two orthodontic treatment regimes 223
Root surfaces
Multi-nucleated cells remove the main hyalinized tissue and start resorption of adjacent ... 265

Safety equiptment
Orthodontic facebow injuries and ... 385
Sectional arches
The effects of different ... in canine retraction 317
Skulls
Validity of cephalometric landmarks. An experimental study on human ... 110
Snell strain of mouse
Growth of the nasal septum in the ... 138
Stability
The role of occlusal discrepancies in the long-term ... of the mandibular arch 521
Stomatognathic function
Short-term consequences of orthognathic surgery on ... 491
Super-elastic Ni-Ti wires
The characteristics of ... in three-point bending. Part I: the effect of temperature 409
The characteristics of ... in three-point bending. Part II: intra-batch variation 421
Supporting tissues
Aetiological aspects of mandibullar tooth agenesis—focusing on the role of ... 371
Changes in blood circulation in teeth and ... incident to experimental tooth movement 361
Sutural growth
Functional influence on ... 353

Teeth
Changes in blood circulation in ... and supporting tissues incident to experimental tooth movement 361
Temperature
The effect of ... on the characteristics of super-elastic Ni-Ti wires in three-point bending 409
TGF-β2
Effects of ... on mineral resorption in cultured embryonic mouse long bones 130
Three-point bending
The characteristics of super -elastic Ni-Ti wires in .... Part I: the effect of temperature 409
The characteristcs of super-elastic Ni-Ti wires in .... Part II: intra-batch variation 421

Thrombin stimulate release
... of arachidonic acid and formation of prostanoids in human periodontal ligament cells 213
Time-dependent orthodontic tooth movements
Evaluation of standardized methods for registration of ... 41
Tooth movement
Changes in blood circulation in teeth and supporting tissues incident to experimental ... 361
Transverse dentofacial morphology
Cephalometric comparison of ... 63
Unilateral functional cross-bite
A modified palatal arch for treatment of ... in the primary dentition 35
Veau-Wardill-Kilner V to Y pushback procedure
One-stage closure of isolated cleft palate with the ... or the Cronin modification 63

Author entries

Alexander, R. G. see Buschang, P. H.
Andersen, K. see Pedersen, E.
Andlin-Sobocki, A. and Persson, M.
The association between spontaneous reversal of gingival recession in mandibular incisors and dentofacial changes in children. A 3-year longitudinal study 229
Anehus-Pancherz, M. see Pancherz, H.
Athanasiou, A. E. and Yücel Eroğlu, E.
Short-term consequences of orthognathic surgery on stomatognathic function 491

Baccetti, T. see Tollaro, I.
Banks, P. A. and Richmond, S.
Enamel sealants: a clinical evaluation of their value during fixed appliance therapy 19
Barnes, S. A. R. see Rönning, O.
Bassarelli, V. see Tollaro, I.
Battagel. J. M.
The identification of Class III malocclusions by discriminant analysis 71
Berg, R. see Katsaros, C.
Berghuis, H. M., Dieudonné, S. C., Goei, W. and Veldhuijzen, J. P.
Effects of TGF-β2 on mineral resorption in cultured embryonic mouse long bones; ^{45}Ca release and osteoclast differentiation and migration 130
Binda, S. K. R., Kuijpers-Jagtman, A. M., Maertens, J. K. M. and van't Hof, M. A.
A long-term cephalometric evaluation of treated Class II division 2 malocclusions 301
Bishara, S. E. see El-Batouti, A.
Brudvik, P. and Rygh, P.
Root resorption beneath the main hyalinized zone 249
Brudvik, P. and Rygh, P.
Multi-nucleated cells remove the main hyalinized tissue and start resorption of adjacent root surfaces 265
Buchanan, I. B. see Kerr, W. J. S.
Burden, D. J. and Holmes, A.
The need for orthodontic treatment in the child population of the United Kingdom 395
Burke, F. J. T., Wilson, N. H. F., Cheung, S-W. and Shaw, W. C.
Glove use by orthodontists in England and Wales: changes since 1989 and comparisons with general dental practitioners 241
Buschang, P. H., Stroud, J. and Alexander, R. G.
Differences in dental arch morphology among adult females with untreated Class I and Class II malocclusion 47

Carels, C. E. L. see De Saeytijd, C.
Chan, T. C. K. see Tng, T. T. H.
Cheung, S-W. see Burke, F. J. T.
Christensen, L. R. see Kjær, I.
Cooke, M. S. see Huggare, J. Å. V.; Tng, T. T. H.

Darendelier, M. A., Strahm, C. and Joho, J. P.
Light maxillary expansion forces with the magnetic expansion device. A preliminary investigation 479
De Saeytijd, C., Carels, C. E. L. and Lesaffre, E.
An evaluation of a light-curing composite for bracket placement 541
Dieudonné, S. C. see Berghuis, H. M.
Dinçer, M. and İşcan, N.
The effects of different sectional arches in canine retraction 317

El-Batouti, A., Øgaard, B. and Bishara, S. E.
Longitudinal cephalometric standards for Norwegians between the ages of 6 and 18 years 501
Eliasson, S. see Levander, E.

Ferrario, V. F., Sforza, C., Miani, A. and Tartaglia, G.
Mathematical definition of the shape of dental arches in human permanent healthy dentitions 287
Franchi, L. see Tollaro, I.
Friberg, B. see Thilander, B.

Goei, W. see Berghuis, H. M.
Gordon, P. H. see Millett, D. T.
Granath, L. and Petersson, S-O.
A modified palatal arch for treatment of unilateral functional cross-bite in the primary dentition 35
Gröndahl, K. see Thilander, B.

Hagberg, C.
The alignment of permanent mandibular incisors in children. A longitudinal prospective study 121
Hägg, U. see Tng, T. T. H.

Halazonetis, D. J. Katsavrias, E. and Spyropoulos, M. N.
Changes in cheek pressure following rapid maxillary expansion 295
Harper, C.
A comparison of medieval and modern dentitions 163
Heliövaara, A.
One-stage closure of isolated cleft palate with the Veau-Wardill-Kilner V to Y pushback procedure or the Cronin modification. IV. Cephalometric comparison of transverse dentofacial morphology 63
Heyeraas, K. J. see Vandevska-Radunovic, V.
Hof, M. A. van't see Binda, S. K. R.
Holmes, A. see Burden, D. J.
Huggare, J. Å. V. and Cooke, M. S.
Head posture and cervicovertebral anatomy as mandibular growth predictors 175

Ireland, A. J. and Sherriff, M.
Use of an adhesive resin for bonding orthodontic brackets 27
İşcan, H. N. see Dinçer, M.
Isidor, F. see Pedersen, E.

Jemt, T. see Ödman, J.
Joho, J. P. see Darendelier, M. A.
Jones, M. L. see Pizarro, K. A.; Samuels, R. H. A.

Katsaros, C., Kiliaridis, S. and Berg, R.
Functional influence on sutural growth. A morphometric study in the anterior facial skeleton of the growing rat 353
Katsavrias, E. see Halazonetis, D. J.
Kerr, W. J. S., Buchanan, I. B. McNair, F. I. and McColl, J. H.
Factors influencing the outcome and duration of removable appliance treatment 181
Kiliaridis, S. see Katsaros, C.
Kjær, I., Kocsis, G., Nodal, M. and Christensen, L. R.
Aetiological aspects of mandibular tooth agenesis—focusing on the role of nerve, oral mucosa, and supporting tissues 371
Kjær, I. see Nodal, M.
Knox, J. see Pizarro, K. A.
Kocsis, G. see Kjœr, I.
Kristiansen, A. B. see Vandevska-Radunovic, V.
Kuijpers-Jagtman, A. M. see Binda, S. K. R.
Kvinnsland, S. see Vandevska-Radunovic, V.

Last, K. S. see Pender, N.
Lekholm, U. see Ödman, J.
Lerner, U. H. see Marklund, M.
Lesaffre, E. see De Saeytijd, C.
Levander, E., Malmgren, O. and Eliasson, S.
Evaluation of root resorption in relation to two orthodontic treatment regimes. A clinical experimental study 223
Lucas, V. S. see Roberts, G. J.

Maertens, J. K. M. see Binda, S. K. R.
Malmgren, O. see Levander, E.
Marklund, M., Lerner, U. H., Persson, M. and Ransjö, M.
Bradykinin and thrombin stimulate release of arachidonic acid and formation of prostanoids in human periodontal ligament cells 213
McColl, J. H. see Kerr, W. J. S.
McDonald, F. and Pitt Ford, T. R.
Blood flow changes in permanent maxillary canines during retraction 1
McNair, F. I. see Kerr, W. J. S.
Melsen, B., Topp, L. F., Melsen, H. M. and Terp, S.
Force system developed from closed coil springs 531
Melsen, H. M. see Melsen, B.
Miani, A. see Ferrario, V. F.
Millett, D. T. and Gordon, P. H.
A 5-year clinical review of bond failure with a no-mix adhesive (Right-on®) 203

Nodal, M. see Kjœr, I.
Nodal, M., Kjær, I. and Solow, B.
Craniofacial morphology in patients with multiple congentitally missing permanent teeth 104
Nyström, M. and Ranta, R.
Effect of timing and method of closure of isolated cleft palate on development of dental arches from 3 to 6 years of age 377

Ödman, J., Lekholm, U., Jemt, T. and Thilander, B.
Osseointegrated implants as orthodontic anchorage in the treatment of partially edentulous adult patients 187
Ödman, J. see Thilander, B.
Øgaard, B. see El-Batouti, A.
Öztürk, Y. and Tankuter, N.
Class II: a comparison of activator and activator headgear combination appliances 149

Pancherz, H. and Anehus-Pancherz, M.
Facial profile changes during and after Herbst appliance treatment 275
Pearson, M. H. see Rönning, O.
Pedersen, E., Isidor, F. and Andersen, K.
Evaluation of standardized methods for registration of time-dependent orthodontic tooth movements 41
Pender, N., Samuels, R. H. A. and Last, K. S.
The monitoring of orthodontic tooth movement over a 2-year period by analysis of gingival crevicular fluid 511
Persson, M. see Andlin-Sobocki, A.; Marklund, M.
Petersson, S-O. see Granath, L.
Pietilä, I. see Pietilä, T.
Pietilä, T. and Pietilä, I
Parents' views on their own child's dentition compared with an orthodontist's assessment 309
Pitt Ford, T. R. see McDonald, F.
Pizarro, K. A., Jones, M. L. and Knox, J.
An *in vitro* study of the effects of different crystal growth solutions on the topography of the enamel surface 11
Pledger, D. M. see Rönning, O.

Ransjö, M. see Marklund, M.
Ranta, R. see Nyström, M.
Richmond, S. see Banks, P. A.

Roberts, G. J. and Lucas, V. S.
Growth of the nasal septum in the Snell strain of hypopituitary dwarf mouse 138
Rönning, O., Barnes, S. A. R., Pearson, M. H. and Pledger, D. M.
Juvenile chronic arthritis: a cephalometric analysis of the facial skeleton 53
Rygh, P. see Brudvik, P.

Samuels, R. H. A. and Jones, M. L.
Orthodontic facebow injuries and safety equipment 385
Samuels, R. H. A. see Pender, N.
Sandikçioğlu, M., Skov, S. and Solow, B.
Atlas morphology in relation to craniofacial morphology and head posture 96
Sforza, C. see Ferrario, V. F.
Shaw, W. C. see Burke, F. J. T.
Sherriff, M. see Ireland, A. J.
Skov, S. see Sandikçioğlu, M.
Solow, B. see Nodal, M.; Sandikçioğlu, M.
Spyropoulos, M. N. see Halazonetis, D. J.
Strahm, C. see Darendelier, M. A.
Stroud, J. see Buschang, P. H.

Tankuter, N. see Öztürk, Y.
Tartaglia, G. see Ferrario, V. F.
Terp, S. see Melsen, B.
Thilander, B., Ödman, J., Gröndahl, K. and Friberg, B.
Osseointegrated implants in adolescents. An alternative in replacing missing teeth? 84
Thilander, B. see Ödman, J.
Tng, T. T. H., Chan, T. C. K., Hägg, U. and Cooke, M. S.
Validity of cephalometric landmarks. An experimental study on human skulls 110
Tollaro, I, Baccetti, T., Bassarelli, V. and Franchi, L.
Class III malocclusion in the deciduous dentition: a morphological and correlation study 401
Tonner, R. I. M. and Waters, N. E.
The characteristics of super-elastic Ni-Ti wires in three-point bending. Part I: The effect of temperature 409
Tonner, R. I. M. and Waters, N. E.
The characteristics of super-elastic Ni-Ti wires in three-point bending. Part II: intra-batch variation 421
Topp, L. F. see Melsen, B.

Vandevska-Radunovic, V., Kristiansen, A. B., Heyeraas, K. J. and Kvinnsland, S.
Changes in blood circulation in teeth and supporting tissues incident to experimental tooth movement 361
Veldhuijzen, J. P. see Berghuis, H. M.

Waters, N. E. see Tonner, R. I. M.
Weiland, F. J.
The role of occlusal discrepancies in the long-term stability of the mandibular arch 521
Wilson, N. H. F. see Burke, F. J. T.

Yücel Eroğlu, E. see Athanasiou, A. E.

Zuccati, G.
Bilaterally impacted maxillary canines: a case report in an adult 325

European Journal of Orthodontics 16 (1994) 557–572

© 1994 European Orthodontic Society

European Journal of Orthodontics

Volume 16 (1994) Subject entries

Abstract section-page numbers are given first followed by the abstract number in parentheses.

Activator
Does the ... procline the lower incisors? 336(18)
Orthodontic and orthopaedic effects of ... 444(24)
Treatment of Class II malocclusion with ... 350(59)
Activator-HG combination
Orthodontic and orthopaedic effects of ... 444(24)
Active plates
Tooth movement distribution using ... for distal movement 467(92)
Adenoidectomy
Effects of ... on dentofacial structures 452(48)
Advanced periodontal disease
Combined perio-orthodontic treatment in ... 439(12)
Aerodynamic assessment
Utility of ... of nasal impairment in orthodontic patients 341(32)
Aethylcyanoacrylate
... as bonding material 458(64)
Age
An investigation into the influence of ... on the co-operation of orthodontic patients 470(102)
Angle Class III malocclusion
The effect of early orthodontic treatment in children with ... 438(7)
Angle classes
The morphological continuites between the ... 333(11)
Angulation
Effect of ... on arch length 462(76)
Anterior open bite
... 441(18)
Anterior protraction
Skeletal response to ... of the upper jaw in patients with cleft lip and palate 349(57)
Anterior protrusive path
... in man 348(52)
Arch length
Effects of tooth shape, inclination and angulation on ... 462(76)
Articulation
Effects of retainers on ... of speech 465(87)
Autotransplantation
Orthodontic pretreatment for ... of palatally impacted maxillary canines 440(13)

β_1-integrin mRNA
Regulation of ... may transduce orthodontic forces 332(8)
Bass appliances
Orthodontic and orthopaedic effects of ... 444(24)
B-homozygous thalassaemia
Cephalometric identification of patients with ... in Greece 459(67)
Transverse dentofacial structure of patients with ... 463(80)
Bilateral sagittal split osteotomies
Post-surgical changes in mandibular morphology after ... 442(20)
Biochemical responses
Mechanical pressure elicits specific ... in mandibular condylar chondrocytes 330(4)
Bite conditions
A three-dimensional photographic method for documenting ... 462(78)
Bond strength
... of etched tooth surface contaminated with saliva 339(26)
Bond strengths
... of silanated bracket bases treated with 5 different methods 330(1)
Bonded retainers
Periodontal implications of ... 454(54)
Bonding material
Aethylcyanoacrylate as ... 458(64)
Bonding systems
A comparative clinical study of four orthodontic ... 456(58)
Bone displacement
A comparative holographic investigation of the effects of force magnitude of headgear traction applied in different directions on the initial ... in a macerated human skull 477(122)
A holographic investigation of the initial ... in a macerated human skull occuring in response to headgear traction 449(38)
A non-invasive method to detect load dependent ... 465(86)
Bracket bases
Bond strength of silanated titane ... treated with 5 different methods 330(1)
Bracket fixation
Deposition of fluoride in enamel after bracket fixation with ... 450(40)
Bracket materials
A comparative study of torque properties for different ... 342(37)
Brackets
Temperature increase caused by thermodebonding of ceramic ... 337(23)
Bracket-wire
Influence of friction due to different ... combinations on the force system during levelling 337(22)
Buccal mucosae
Leukoplakia of the ... in relation to orthodontic magnets 341(33)

Canine retraction
Constant and continuous force on ... 333(10)
Optimization of ... by using a combination of NiTi and stainless steel 475(116)
Cartilage
The response of ... to growth factors 447(33)
Cephalometric analysis
... using original computer expert system 466(89)
Cephalometric comparison
... of mandibular headgear and chin-cap appliances 330(2)
... of selected and unselected children with juvenile chronic arthritis 442(19)

Cephalometric evaluation
... of combined orthodontic treatment in Class III patients 461(72)
... of maxillary retrognathism cases treated with the FR-III appliances 331(6)
... of pharyngeal spaces and hyoid bone and tongue position following the use of mandibular repositioning appliance in obstructive sleep apnoea patients 330(3)
Comparison of RPE-assisted and normal Delaire mask applications by means of ... 334(14)
Cephalometric identification
... of patients with B-homozygous thalassaemia in Greece 459(67)
Cephalometric study
... of chin-cap therapy 331(5)
Cephalometrics
Computerized dynamic ... 436(3)
Ceramic brackets
Adhesion of ... to enamel 450(41)
Metal and ... compared by the finite element method 455(55)
Temperature increase caused by thermodebonding of ... 337(23)
Cerebral palsy
The prevalence of malocclusion in children with ... 451(43)
Chewing muscles
Electromyography of the ... related to malocclusion and orthodontic treatment 332(7)
Chewing performance
Is human ... sensitive to direction of occlusal force 472(107)
Chin
The ... in Class III cases 468(96)
Chin-cap
The effects of the vertical ... on the mandibular morphology 457(61)
Chin-cap appliances
Cephalometric comparison of mandibular headgear and ... 330(2)
Chin-cap combination
A comparison of non-extraction and extraction Edgewise technique and ... on the soft tissue profile in Class III malocclusion 437(5)
Chin-cap therapy
... 331(5)
Class I population
Postero-anterior dimensions of a Class II division 1 sample as related to a ... 454(52)
Class II division 1
Postero-anterior dimensions of a ... sample as related to a Class I population 454(52)
Class II division 1 patients
Dental and skeletal effects in ... treated with fixed appliances and Class II elastics 465(85)
Skeletal effects in ... treated with headgear activator 439(11)
Class II division 2 malocclusion
Components of ... in children and adults 463(81)
Class II elastics
Dental and skeletal effects in Class II division 1 patients treated with ... 465(85)
Class II malocclusion
Treatment of ... with Jasper jumper and activator 350(59)
Class III
...: long-term evaluation of dental stability 443(23)
Extraction of second deciduous molars in severe ... 469(97)
Class III elastics
Effects of ... for reversed occlusion in the mixed dentition 336(20)
Class III malocclusion
A comparison of the effects of non-extraction and extraction Edgewise technique and chin-cap combination on the soft tissue profile in ... 437(5)
Class III malocclusions
Diagnosis and treatment of ... 350(60)
Orthopaedic and orthodontic results in the treatment of ... in young patients 447(34)
Class III patients
Cephalometric evaluation of combined orthodontic treatment 461(72)
Divine proportions of ... treated with orthognathic surgery 446(30)
Long-term evaluation of ... treated by facemask 334(13)
The long-term evaluation of orthodontically treated ... 472(108)
Class III treatment
... with functional appliances 451(45)
Mandibular extra-oral traction and customized facemasks in ... 439(10)
Results of ... in relation to the beginning therapy 343(40)
Stability of ... during growth 340(30)
Cleft lip and palate
A method of recording the severity of ... prior to surgery 475(117)
Greek public awareness related to patients with ... 463(79)
Orofacial treatment with an intra-oral plate in newborn children with unilateral ... 460(70)
Skeletal response to anterior protraction of the upper jaw in patients with ... 349(57)
Cleft palate children
Changes in dentofacial morphology in ... treated by maxillary protraction headgear 446(31)
Cleft palate patients
Treatment of ... with the function regulator of Fränkel 451(46)
Cleft patients
Reconstruction of residual alveolar palatal bone defects in... 347(51)
CMD
Influence of orthodontic treatment on ... 346(47)
Combined orthodontic treatment
Cephalometric evaluation of ... in Class III patients 461(72)
Combined perio-orthodontic treatment
... in adult advanced periodontal disease 439(12)
Combined surgery
Cephalometric changes in Skeletal Class III patients with ... 461(73)
Computer expert system
Cephalometric analysis using original ... 466(89)
Computer-aided B+M-mode-ultrasonography
Investigation of patients with tongue thrust habit during swallowing with the ... 345(46)
Condylar growth
Orthopaedically induced ... in a patient with hemifacial microsomia 470(103)
Co-operation
An investigation into the influence of treament duration and age on the ... of orthodontic patients 470(102)
Craniofacial catch-up growth
Longitudinal study of ... in Snell strain mice 468(95)
Craniofacial correlations
Are we playing games with ...? 473(111)

Craniofacial development
Influence of growth hormone therapy on ... in small children after intra-uterine growth retardation 464(83)
Craniofacial morphology
The effect of hypondontia on ... 476(119)
Craniofacial movement
Measurement of ... using computerized techniques 464(82)
Craniofacial structure
Effects of thalassaemia major on the ... 438(9)
Cranio-vertical head posture
The effect of masticatory muscle fatigue on ... and rest position of the mandible 458(65)
Cytotoxicity
Vital staining as an indicator of ... of neodymium of iron boron magnets 445(27)

Deciduous dentition
Orthopaedic treatment effect of reversed occlusion in ... 464(84)
Deciduous molars
Extraction of second ... in early treatment of severe Class III 469(97)
Deep bite malocclusions
Skeletal and dental changes following treatment of ... 344(41)
Deep bite treatment
Soft tissue profile changes in ... 457(62)
Dental arch dimensions
Number and intensity of occlusal contacts and ... after orthodontic treatment and during the retention period 437(4)
Dental changes
... following treatment of deep bite malocclusions 344(41)
Dental effects
... in Class II division 1 patients treated with fixed appliances and Class II elastics 465(85)
Dental maturation
Effect of high-dose growth hormone therapy on ... in small children after intra-uterine growth retardation 474(112)
Dental stability
Class III: long-term evaluation of ... 443(23)
Dentofacial changes
... in cleft palate children treated by maxillary protraction headgear 446(31)
Dentofacial structures
Effects of adenoidectomy on ... 452(48)
Effects of nasal obstruction on ... 452(49)
Dento-maxillary anomalies
A comparative study of the part played by sucking habits in the genesis of ... according to the psycho-socio-biological factors 452(47)
Dento-skeletal changes
... associated with sagittal splitting osteotomy of the mandible in Skeletal Class III malocclusion 460(69)
Diagnosis
3D-imaging and 3D-CT skull models in ... 335(17)
New developments in ... in orthodontics 333(12)
Diet
The effect of ... induced changes in prostaglandin E_2 levels on orthodontic tooth movement 459(66)
Digitized images
Tooth movement computer analysis on ... of modified typodont 471(104)
Distal movement
Tooth movement distribution using active plates for ... 467(92)
Distraction osteogenesis
Surgically assisted rapid orthopaedic lengthening of the maxilla in primates—relapse following ... 436(1)
Drum spring retractor
... 333(10)

Edgewise technique
A comparison of non-extraction and extraction ... and chin-cap combination on the soft tissue profile in Class III malocclusion 437(5)
Education
The ... of personnel auxiliary to dentistry 343(38)
Electrical activity
Mandibular rest position and ... of the masticatory muscles 341(34)
Electromyographical activity
Correlation between malocclusion and ... of various muscle groups 445(29)
Electromyography
... of the chewing muscles related to malocclusion and orthodontic treatment 332(7)
EMG-mapping
... of the masseter under different basic function 454(53)
Enamel
Adhesion of ceramic brackets to ... 450(41)
Deposition of fluoride in ... after bracket fixation with glass ionomer cement 450(40)
Endosseous implants
Indications for ... in orthodontic therapy 349(56)
Eruption
... of the lower third molar 344(43)
Primary failure of ... 475(115)
Etched tooth surface
Bond strength of ... contaminated with saliva 339(26)
Experience
Effect of ... on inter-examiner cephalomteric errors 461(75)
Extraction
Soft tissue profile changes in deep bite treatment ... versus non-extraction 457(62)
Therapeutic changes after ... of first and second premolars 470(100)

Facemask
Long-term evaluation of Class III treated by ... 334(13)
Facemasks
Mandibular extra-oral traction and customized ... in Class III treatment 439(10)
Facial asymmetry
... in patients with internal derangement of TMJ 456(60)
Facial form assessment
... using a computerized modified mesh diagram analysis 444(25)
Facial morphology
A longitudinal study and analysis of changes in ... during growth in hemifacial microsomia patients 343(39)
Masseter muscle thickness during growth and its relationship to ... 347(49)

Facial skeleton
Large volume CT-scanning of the complete ... in a one-scan technique 455(56)
Facial skull
Three-dimensional models of the individual ... by stereolithography 455(57)
Facial three-dimensional morphometry
... by a new non-invasive method 448(36)
Fingers
Longitudinal length change of ... with a logistic function 472(109)
Finite element method
Metal and ceramic brackets compared by the ... 455(55)
Fixation
An experimental study of the effects of ... on the healing of onlay bone grafts 347(50)
Fixed appliances
Dental and skeletal effects in Class II division 1 patients treated with ... 465(85)
Tooth mobility after orthodontic treatment with ... 445(28)
Fluoride
Deposition of ... in enamel after bracket fixation with glass ionomer cement 450(40)
Force
Constant and continuous ... on canine retraction 333(10)
Early time-related tissue reactions after application of a controlled continuous orthodontic ... 340(31)
Force magnitude
A comparative holographic investigation of the effects of ... of the headgear traction applied in different directions on the intial bone displacement in a macerated skull 477(122)
Force system
Influence of friction due to different bracket-wire combinations on the ... during levelling 337(22)
Forces
... delivered by transpalatal arches and quadhelix 448(35)
Freeman-Sheldon Syndrome
Rare cases of ... 476(120)
Friction
Influence of ... due to different bracket-wire combinations on the force system during levelling 337(22)
FR-III appliance
Cephalometric evaluation of maxillary retrognathism cases treated with the ... 331(6)
Frontal sinus
Development of the ... 469(98)
Function regulator of Fränkel
Treatment of cleft palate patients with the ... 451(46)
Functional appliances
Class III treatment with ... 451(45)

Gingival invagination area
A ... after space closure 474(114)
Gingival tissue
Human dental pulp and ... after static magnetic field exposure 441(16)
Growth
A longitudinal study and analysis of changes in facial morphology during ... in hemifacial microsomia patients 343(39)
Masseter muscle thickness during ... 347(49)
Stability of Class III treatment during ... 340(30)
Growth factors
Isolation and partial characterization of ... from rabbit bone 351(61)
The response of cartilage to ... 447(33)
Growth hormone therapy
Effect of high-dose ... on dental maturation in small children after intra-uterine growth retardation 474(112)
Influence of ... on craniofacial development in small children after intra-uterine growth retardation 464(83)
Growth patterns
Radiographic study of the nasopharyngeal space related to ... 468(94)
Guided tissue
... 438(8)

Hard anodized aluminium
... as an alternative material 441 (17)
Headgear activator
Skeletal effects in Class II division 1 patients treated with ... 439(11)
Headgear co-operation
Selçuk type headgear-timer: its accuracy and effect on ... 453(50)
Headgear traction
A comparative holographic investigation of the effects of force magnitude of ... applied in different directions on the initial bone displacement in a macerated human skull 477(122)
A holographic investigation of the initial bone displacement in a macerated human skull occurring in response to ... 449(38)
Hemifacial microsomia
A longitudinal study and analysis of changes during growth in ... patients 343(39)
Orthopaedically induced condylar growth in a patient with ... 470(103)
Herbst appliances
A comparative study of treatment effects of two ... 473(110)
Herbst treatment
... 345(45)
Early versus late ... 344(44)
Holographic investigation
A ... of the initial bone dispalcement in a macerated human skull occurring in response to headgear traction 449(38)
A comparative ... of the effects of force magnitude of headgear traction applied in different directions on the initial bone displacement in a macerated human skull 477(122)
Human dental pulp
... and gingival tissue after static magnetic field exposure 441(16)
Human skull
A holographic investigation of the initial bone displacement in a macerated ... occurring in response to headgear traction 449(38)
Hyaline zone
The ... and associated root resorption in experimental orthodontics in rats 337(21)
Hyoid bone position
Cephalomentric evaluation of ... 330(3)
Hypodontia
The effect of ... on craniofacial morphology 476(119)

Impacted canine status
... and results evaluation after surgical treatment 443(22)

Impacted canines
Magnets and ... 336(19)
Impaction
... of the lower third molar 344(43)
Incisor position
... and lip line height 461(74)
Inclination
Effect of ... on arch length 462(76)
Inter-examiner cephalometric changes
Effect of training and experience on ... 461(75)
Internal derangement of TMJ
Facial asymmetry in patients with ... 456(60)
Intra-oral forces
Measurement of ... using computerized techniques 464(82)
Intra-oral plate
Orofacial treatment with an ... in newborn children with unilateral cleft lip and palate 460(70)
Intra-uterine growth retardation
Effect of high-dose growth hormone therapy on dental maturation in small children after ... 474(112)
Influence of growth hormone therapy on craniofacial development in small children after 464(83)

Jasper jumper
Treatment of malocclusion with ... 350(59)
Juvenile chronic arthritis
Cephalometric comparison of selected and unselected children with ... 442(19)

Large volume CT-scanning
... of the complete facial skeleton in a one-scan technique 455(56)
Leukoplakia
... of the buccal mucosae in relation to orthodontic magnets 341(33)
Levelling
Influence of friction due to different bracket-wire combinations on the force system during ... 337(22)
Linear laser scanner
3D palatal measurement using a ... 471(105)
Lip line height
Incisor position and ... 461(74)
Load dependent tooth and bone displacement
A non-invasive method to detect ... 465(86)
Load-deflection behaviour
... of closed Ni-Ti coil springs in a simulated oral environment 335(15)
Lower incisors
Does the activator procline the ... 336(18)
Lower third molar
The ... 344(43)

Magnets
... and impacted canines 336(19)
Leukoplakia of the buccal mucosae in relation to orthodontic ... 341(33)
Malocclusion
Assessment of masticatory function before and after treatment of ... 348(55)
Correlation between ... and electromyographical activity of various muscle groups 445(29)
Electromyography of the chewing muscles related to ... 332(7)
Regional differences in the perception and treatment of ... 450(42)
The prevalence of ... in children with cerebral palsy 451(43)
Mandible
Dento-skeletal and soft tissue changes associated with sagittal splitting osteotomy of the ... in Skeletal Class III malocclusion 460(69)
Longitudinal length change of ... with a logisitc function 472(109)
The effect of masticatory muscle fatigue on cranio-vertical head posture and rest position of the ... 458(65)
Mandibular condylar chondrocytes
Mechanical pressure elicits specific biochemical responses in ... 330(4)
Mandibular condylar chondrocytes 330(4)
Mandibular extra-oral treaction
... and customized facemasks in Class III treatment 439(10)
Mandibular headgear
Cephalometric comparison of ... and chin-cap appliances 330(2)
Mandibular morphology
Post-surgical changes in ... after bilateral sagittal split osteotomies 442(20)
The effects of the vertical chin-cap on the ... 457(61)
Mandibular repositioning appliance
Cephalometric evaluation following the use of ... in obstructive sleep apnoea patients 330(3)
Mandibular rest position
... and electrical activity of the masticatory muscles 341(34)
Mandibular rotations
The tendency of ... in the orthopantogram 468(93)
Masseter
EMG-mapping of the ... under different basic functions 454(53)
Masseter muscle thickness
... during growth and its relationship to facial morphology 347(49)
... in orthognathic surgery patients 339(27)
Masticatory function
Assessment of ... before and after treatment of malocclusion 348(55)
Masticatory muscle activity
Automatic measurement of ... 471(106)
Masticatory muscle fatigue
The effect of ... on cranio-vertical head posture and rest position of the mandible 458(65)
Masticatory muscles
Mandibular rest position and electrical activity of the ... 341(34)
Maxilla
Secondary effects in the ... in children with unilateral TMJ-arthritis 466(88)
Surgically assisted rapid orthopaedic lengthening of the ... in primates 436(1)
Maxillary canines
Orthodontic pretreatment for autotransplantation of palatally impacted ... 440(13)
Orthodontic treatment in cases of transposition of ... 451(44)
Maxillary expansion
Orthodontic ... and effect on nocturnal enuresis in children 460(71)
Maxillary protraction headgear
Changes in dentofacial morphology in cleft palate children treated by ... 446(31)

Maxillary retrognathism cases
Cephalometric evaluation of ... treated with the FR-III appliance 331(6)
Mechanical pressure
... elicits specific biochemical responses in mandibular condylar chondrocytes 330(4)
Metabolic changes
... of periodontal ligamaent cells *in vitro* 470(101)
Metal brackets
... and ceramic brackets compared by the finite element method 455(55)
Mixed dentition
Effects of Class III elastics for reversed occlusion in the ... 336(20)
Modified mesh diagram analysis
Facial form assessment using a computerized ... 444(25)
Modified Nance appliance
... with NiTi coil for unilateral molar distalization 457(63)
Modified typodont
Tooth movement computer analysis on digitized images of ... 471(104)
Molar
The lower third ... 344(43)
Moments
... delivered by transpalatal arches and quadhelix 448(35)
Morphological continuities
The ... between the Angle classes 333(11)
Muscle groups
Correlation between malocclusion and electromyographical activity of various ... 445(29)

Nasal impairment
Utility of aerodynamic assessment of ... in orthodontic patients 341(32)
Nasal obstruction
Effects of ... on dentofacial structures 452(49)
Nasopharyngeal space
Radiographic study of the ... related to growth patterns 468(94)
Neodymium iron boron magnets
Vital staining as an indicator of cytotoxicity of ... 445(27)
Nickel Titanium
Optimization of canine retraction by using a combination of ... and stainless steel 475(116)
Ni-Ti coil
Modified Nance appliance with ... for unilateral molar distalization 457(63)
Ni-Ti coil springs
Load-deflection behaviour of closed ... in a simulated oral environment 335(15)
Nocturnal enuresis
Orthodontic maxillary expansion and effect on ... in children 460(71)
Non-extraction
Soft tissue profile changes in deep bite treatment: extraction versus ... 457(62)
Non-fixation
An experimental study of the effects of ... on the healing of onlay bone grafts 347(50)
Normal Delaire mask
Comparison of RPE-assisted and ... applications by means of cephalometric evaluation 334(14)
Nuffield Inquiry
... 343(38)

Obstructive sleep apnoea patients
Cephalometric evaluation following the use of mandibular repositioning appliance in ... 330(3)
Occlusal change
A study of ... using the PAR Index 332(9)
Occlusal characteristics
... of 5-year-old Southern Chinese children 456(59)
Occlusal contacts
Number and intensity of ... and dental arch dimensions after orthodontic treatment and during the retention period 437(4)
Occlusal force
Is human chewing performance sensitive to direction of ... 472(107)
Occlusal traits
... in Polynesian primary school children 437(6)
Occlusion
Effects of Class III elastics for reversed ... in the mixed dentition 336(20)
One-scan technique
Large volume CT-scanning of the complete facial skeleton in a ... 455(56)
Onlay bone grafts
An experimental study of the effects of fixation versus non-fixation on the healing of ... 347(50)
Open bite malocclusion
Components of ... in children and adults 476(121)
Orofacial treatment
... with an intra-oral plate in newborn children with unilateral cleft lip and palate 460(70)
Orthodontic care
Economic appraisal of ... in Finnish Health Centres 466(90)
Orthodontic concern
11-year-olds' and parents' ... compared to orthodontists' assessment 440(14)
Orthodontic correction
Anterior open bite: stability after ... 441(18)
Orthodontic force
Early time-related tissue reactions after application of a controlled continuous ... 340(31)
Orthodontic forces
Regulation of β1-integrin mRNA may transduce ... 332(8)
Orthodontic lengthening
Surgically assisted rapid ... of the maxilla in primates 436(1)
Orthodontic magnets
Static magnetic fields of ... 440(15)
Orthodontic patients
An investigation into the influence of treatment duration and age on the co-operation of ... 470(102)
Orthodontic pretreatment
... for autotransplantation of palatally impacted maxillary canines 440(13)
Orthodontic results
A three-dimensional photographic method for documenting ... 462(78)
Orthodontic services
... in Finnish Health Centres in 1992 467(91)
Orthodontic therapy
Indications for endosseous implants in ... 349(56)
Orthodontic treatment
Effect of ... on the soft tissue profile 338(25)
Electromyography of the chewing muscles related to ... 332(7)
Influence of ... on CMD 346(47)

Need for ... in 12-year-old Chinese children 474(113)
The effect of early ... in children with Angle Class III malocclusion 438(7)
The long-term effect of ... 332(9)
Which dentitions are prone to root resorption during ...? 339(28)
Orthodontists' assessment
11-year-olds' and parents' orthodontic concern compared with ... 440(14)
Orthognathic surgery
Divine proportions of Class III patients treated with ... 446(30)
Orthognathic surgery patients
Masseter muscle thickness in ... 339(27)
Orthopantogram
The tendency of mandibular rotation in the ... 468(93)
Osteoblasts
The response of transformed ... to external loads 342(35)

Palatally impacted maxillary canines
Orthodontic pretreatment of autotransplantation of ... 440(13)
Pancherz cephalometric system
The reliability and validity of the ... 475(118)
PAR Index
A study of occlusal change using the ... 332(9)
Periodontal disease
Combined perio-orthodontic treatment in adult advanced ... 439(12)
Periodontal implications
... of bonded versus removable retainers 454(54)
Periodontal ligament
Effect of phenytoin on ... 338(24)
Periodontal ligament cells
Metabolic and ultrastructural changes of ... *in vitro* 470(101)
Personnel
The education and training of ... auxiliary to dentistry 343(38)
Pharyngeal spaces
Cephalometric evaluation of ... 330(3)
Phenytoin
Effects of ... on periodontal ligament 338(24)
Premolar extractions
The effect of ... on tooth size discrepancy 348(54)
Premolars
Therapeutic changes after extraction of first and second ... 470(100)
Prostaglandin E_2 levels
Effect of diet induced changes in ... on orthodontic tooth movement 459(66)
Puberty
Herbst treatment. The effect on TMJ condyles of cases treated during ... 345(45)

Quadhelix
Forces and moments delivered by ... 448(35)
Quality assurance
... in orthodontics 346(48)

Rapid maxillary expansion appliances
3-D dentofacial changes with bonded and banded ... 342(36)
Rapid maxillary expansion treatment
Residual strains during and after ... 349(58)
Rapid palatal expansion procedures
Comparison of corticotomy assisted and normal ... in twins with the help of computerized tomography 446(32)
Regenerative techniques
Guided tissue—... used in orthodontics 438(8)
Removable appliances
The treatment of Skeletal Class II with ... 449(39)
Tooth mobility after orthodontic treatment with ... 445(28)
Removeable retainers
Periodontal implications of ... 454(54)
Residual alveolar palatal bone defects
Reconstruction of ... in cleft patients 347(51)
Residual strains (forces)
... during and after rapid maxillary expansion treatment 349(58)
Rest position of the mandible
The effect of masticatory muscle fatigue on cranio-vertical head posture and ... 458(65)
Results evaluation
Impacted canine status and ... after surgical treatment 443(21)
Retainers
Effects of ... on the articulation of speech 465(87)
Reversed occlusion
Orthopaedic treatment effect of ... in deciduous dentition 464(84)
Root resorption
Instant X-ray images for diagnosis of ... during orthodotnic treatment 462(77)
The hyaline zone and associated ... in experimental orthodontics in rats 337(21)
Which dentitions are prone to ... during orthodontic treatment 339(28)
RPE assisted applications
Comparison of ... and normal Delaire mask by means of cephalometric evaluation 334(14)
Rubber gloves
Survey of the acceptance of ... for orthodontic treatment 442(21)

Sagittal splitting osteotomy
Dento-skeletal and soft tissue changes associated with ... of the mandible in Skeletal Class III malocclusion 460(69)
Saliva
Bond strength of etched tooth surface contaminated with ... 339(26)
Selçuk type headgear-timer
... 453(50)
Shear bond strength
Aethylcyanoacrylate as bonding material—*in vitro* ... 458(64)
Silanated titane bracket bases
Bond strength of ... treated with 5 different methods 330(1)
Simulated oral environment
Load-deflection behaviour of closed Ni-Ti coil springs in a ... 335(15)
Skeletal changes
... following treatment of deep bite malocclusions 344(41)
Skeletal Class II
The treatment of ... with removable appliances 449(39)
Skeletal Class III malocclusion
Dento-skeletal and soft tissue changes associated with sagittal splitting osteotomy of the mandible in ... 460(69)
Skeletal Class III patients
Cephalometric changes in ... with combined surgery 461(73)

Skeletal effects
... in Class II division 1 patients treated with fixed appliances and Class II elastics 465(85)
... in Class II division 1 patients treated with headgear activator 439(11)
Skeletal profile changes
... during 20 years of adulthood 335(16)
Skeletal response
... to anterior protraction of the upper jaw in patients with cleft lip and palate 349(57)
Snell strain mice
Longitudinal study of craniofacial catch-up growth in ... 468(95)
Soft tissue changes
... associated with sagittal splitting osteotomy of the mandible in Skeletal Class III malocclusion 460(69)
Soft tissue facail three-dimensional morphometry
... 448(37)
Soft tissue profile
... during 20 years of adulthood 335(16)
A comparison of the effects of non-extraction and extraction Edgewise technique and chin-cap combination on the ... in Class III malocclusion 437(5)
Effect of orthodontic treatment on the ... 338(25)
Soft tissue profile changes
... in deep bite treatment 457(62)
Somatic and skeletal maturity
Development of the frontal sinus—a possibility for predicting ... 469(98)
Space closure
A gingival invagination area after ... 474(114)
Speech
Effects of retainers on articulation of ... 465(87)
Spring-loaded posterior bite block therapy
Post-retention results of ... 436(2)
Stability
... of Class III treatment during growth 340(30)
Stainless steel
Optimization of canine retraction by using a combination of NiTi and ... 475(116)
Static magnetic field exposure
Human dental pulp and gingival tissue after ... 441(16)
Static magnetic fields
... of orthodontic magnets 440(15)
Stereolithography
Three-dimensional models of the individual facial skull by ... 455(57)
Sucking habits
A comparative study of the part played by ... in the genesis of dento-maxillary anomalies according to the psycho-socio-biological factors 452(47)
Superelastic NiTi coil springs
The unloading forces of ... 469(99)
Supernumerary tooth formation and development
... 459(68)
Surface potentials
Topography of ... of the masseter under different basic functions 454(53)
Surgical correction
Anterior open bite: stability after ... 441(18)
Swallowing
Investigation of patients with tongue thrust habit during ... 345(46)

Temperature increase
... caused by thermodebonding of ceramic brackets 337(23)
Temporomandibular joint
Facial asymmetry in patients with internal derangement of ... 456(60)
Temporomandibular joint arthritis
Secondary effects in the maxilla in children with unilateral ... 466(88)
Temporomandibular joint dysfunction
Prevalence of ... in Chinese children and adolescents 444(26)
Tensile strength
Aethylcyanoacrylate as bonding material—... 458(64)
Thalassaemia major
Effects of ... on the craniofacial structure 438(9)
Therapeutic changes
... after extraction of first and second premolars 470(100)
Thermodebonding
Temperature increase caused by ... of ceramic brackets 337(23)
Three-dimensional-CT skull models
... in diagnosis and treatment planning 335(17)
Three-dimensional dentofacial changes
... with bonded and banded RME appliances 342(36)
Three-dimensional-imaging
in diagnosis and treatment planning 335(17)
Three-dimensional models
... of the individual facial skull by stereolithography 455(57)
Three-dimensional palatal measurement
... using a linear laser scanner 471(105)
Three-dimensional photographic method
A ... for documenting bite conditions and orthodontic results 462(78)
Time-related tissue reactions
Early ... after application of a controlled continuous orthodontic force 340(31)
Tissue reaction
Early time-related ... after application of a controlled continuous orthodontic force 340(31)
Titane bracket bases
Bond strength of silanated ... treated with 5 different methods 330(1)
TMJ condyles
The effect of Herbst treatment on ... between puberty and adulthood 345(45)
Tomographic study
... of chin-cap therapy 331(5)
Tomography
Comparison of corticotomy assisted and normal rapid palatal expansion procedures in twins with the help of computerized ... 446(32)
Tongue position
Cephalometric evaluation of ... 330(3)
Tongue thrust habit
Investigation of ... during swallowing 345(46)
Tooth development
Acceleration in ... 340(29)
Tooth displacement
A non-invasive method to detect load dependent ... 465(86)
Tooth mobility
... after orthodontic treatment with removable and fixed appliances 445(28)

Tooth movement
Effect of diet induced changes in prostaglandin E2 levels on orthodontic ... 459(66)
Orthodontic ... in rats 338(24)
Tooth movement computer analysis
... on digitized images of modified typodont 471(104)
Tooth movement distribution
... using active plates for distal movement 467(92)
Tooth shape
Effect of ... on arch length 462(76)
Tooth size discrepancy
The effect of premolar extractions on ... 348(54)
Tooth support
Computer experiments using a two-dimensional model of ... 453(51)
Topography
... of surface potentials of the masseter under different basic functions 454(53)
Torque properties
A comparative study of ... for different bracket materials 342(37)
Training
Effect of ... on inter-examiner cephalomteric errors 461(75)
The ... of personnel auxiliary to dentistry 343(38)
Transformed osteoblasts
The response of ... to external loads 342(35)
Transpalatal arches
Forces and moments delivered by ... 448(35)
Transposition
Orthodontic treatment in cases of ... of maxillary canines 451(44)
Transverse dentofacial structure
... of patients with B-homozygous thalassaemia in Greece 463(80)
Treatment
New developments in ... in orthodontics 333(12)
Treatment duration
An investigation into the influence of ... *on the co-operation of orthodontic patients* 470(102)
Treatment planning
3D imaging and 3D-CT skull models in ... 335(17)
Ultrastructural changes
... of periodontal ligament cells *in vitro* 470(101)
Unilateral cleft lip and palate
Orofacial treatment with an intra-oral plate in newborn children with ... 460(70)
Unilateral molar distalization
Modified Nance appliance with NiTi coil for ... 457(63)
Unilateral TMJ-arthritis
Secondary effects in the maxilla in children with ... 466(88)
Unloading forces
The ... of superelastic nickel titanium coil springs 469(99)
Upper jaw
Skeletal response to anterior protraction of the ... in patients with cleft lip and palate 349(57)
Vital staining
... as an indicator of cytotoxicity of neodymium iron boron magnets 445(27)
Whistling face syndrome
Rare cases of ... 476(120)
X-ray images
Instant ... for diagnosis of root resorption during orthodontic treatment 462(77)

Author entries

Adriaens, P. A. see Heier, E.
Akalar, M. see Başsimitçi, S.
Akin-Nergiz, N., Nergiz, I. and Platzer, U.
Bond strength of silanated titane bracket bases treated with 5 different methods 330(1)
Akkaya, S. and Haydar, S.
Post-retention results of spring loaded posterior bite block therapy 436(2)
Aksoy, A. U.
Computerised dynamic cephalometrics (a new concept) 436(3)
Aksoy, A. see Enacar, A.; Özkan, S.
Alam, B. see Kokkinos, P.
Alam, S. see Kokkinos, P.
Alanen, P. see Pietilä, I.; Widström, E.
Alcan, T. see Erverdi, N.
Altuğ, Z.
A comparison of the effects of non-extraction and extraction Edgewise technique and chin-cap combination on the soft tissue profile in Class III malocclusion 437(5)
Altuna, G., Freeman, E. and Walker, D. A.
Surgically assisted rapid orthopaedic lengthening of the maxilla in primates—relapse following distraction osteogenesis 436(1)
Anthony, B. see Bacon, W.
Antoniadis, K. see Sidiropoulou-Chatzigiannis, S.
Arun, T. and Erverdi, N.
Cephalometric comparison of mandibular headgear and chin-cap appliances 330(2)
Ateş, S. see Erverdi, N.
Athanasiou, A. E., Barry, D. A. and Toutountzakis, N.
Number and intensity of occlusal contacts and dental arch dimensions after orthodontic treatment and during the retention period 437(4)
Athanasiou, A. E., Papadopoulos, M. A., Mazaheri, M. and Lagoudakis, M.
Cephalometric evaluation of pharyngeal spaces and hyoid bone and tongue postions following the use of mandibular repositioning

appliance in obstructive sleep apnoea patients 330(3)
Athanasiou, M. see Kolokythas, G.; Markovitsi, E.
Avancini, M. P. see Faltin Jr., K.

Bacher, M. see Göz, G. R.; Ney, T.
Bacon, W., Anthony, B., Sonko, A. and Greck, B.
Occlusal traits in Polynesian primary school children in Papeete (French Polynesia, Pacific) 437(6)
Bajka, R. see Levander, E.
Bajraktarova-Gjorčuleska, H.
The effect of early orthodontic treatment in children with Angle Class III malocclusion 438(7)
Bantleon, H-P. see Feldner, J. C.; Hönigl, K. D.
Barry, D. A. see Athanasiou, A. E.
Basdra, E. K., Komposch, G. and Papavassiliou, A. G.
Mechanical pressure elicits specific biochemical responses in mandibular condylar chondrocytes 330(4)
Basdra, E. K. and Mayer, T.
Guided tissue—regenerative techniques used in orthodontics: a case report 438(8)
Başimitçi, Ş., Yücel-Eroğlu, E. and Akalar, M.
Effects of thalassaemia major on the craniofacial structure 438(9)
Battagel, J. M. and Orton, H. S.
Mandibular extra-oral traction and customised facemasks in Class III treatment 439(10)
Beatriz, M. see Faltin Jr., K.
Bendeus, M. and Hägg, U.
Skeletal effects in Class II division 1 patients treated with headgear activator 439(11)
Benkeser, A. and Benkeser, G.
Combined perio-orthodontic treatment in adult advanced periodontal disease. A case report 439(12)
Benkeser, G. see Benkeser, A.
Berg, R. see Katsaros, C.
Berglund L., Kurol, J. and Kvint, S.
Orthodontic pretreatment for autotransplantation of palatally impacted maxillary canines: case reports of a new approach 440(13)
Biren, S. and Erverdi, N.
Cephalometric evaluation of maxillary retrognathism cases treated with the FR-III appliance 331(6)
Biren, T. see Erverdi, N.
Birkeland, K., Bøe, O. E. and Wisth, P. J.
11-year-olds' and parents' orthodontic concern compared to orthodontist's assessment 440(14)
Bitsanis, E. see Katsavrias, E.
Bitsanis, E., Katsavrias, E. and Spyropoulos, M.
Chin-cap therapy: a clinical cephalometric and tomographic study in young patients 331(5)
Bjerkhoel, A. see Kurol, J.
Böhmer, P. see Grabowski, R.
Bönhoff, M. and Fischer-Brandies, H.
Hard anodised aluminium as an alternative material 441(17)
Bøe, O. E. see Birkeland, K.
Bondemark, L., Kurol, J. and Larsson, Å.
Human dental pulp and gingival tissue after static magnetic field exposure 441(16)
Bondemark, L., Kurol, J. and Wisten, Å.
Static magnetic fields of orthodontic magnets 440(15)
Boorman, J. see Winchester, L.
Boscaino, F. see Laino, A.
Bosch, C. see Pedersen, T. K.
Bossuyt, M. see Carels, C.
Brattström, V., Fischer, K., Köndell, E. and von Konow, L.
Anterior open bite: stability after orthodontic and surgical correction 441(18)
Brosh, T. see Vardimon, A. D.
Buchholtz S. and Pancherz, H.
Electromyography of the chewing muscles related to malocclusion and orthodontic treatment 332(7)
Bumann, A., Kjellberg, H., Schwarzer, C., Küster, R.-M. and Thilander, B.
Cephalometric comparison of selected and unselected children with juvenile chronic arthritis 442(19)
Bumann, A. see Schwarzer, C.
Burghard, V. see Fischer-Brandies, H.

Campos, J. see Moss, J. P., 1
Carels, C., Willems, G., Verdonck, A., Bossuyt, M., Verbeke, G. and Kiekens, R. M.
Post-surgical changes in mandibular morphology after bilateral sagittal split osteotomies 442(20)
Carels, C. see Hons, I.; Mulier, M. G.; Van Erum, R.
Carvalho, R. S. and Yen, E. H. K.
Regulation of β_1-integrin mRNA may transduce orthodontic forces 332(8)
Carvalho, R. see Schwarzer, C.
Cha, B. K., Jost-Brinkmann, P.-G. and Miethke, R.-R.
Survey of the acceptance of rubber gloves for orthodontic treatment in Germany 442(21)
Chávez-Lomeli, M. E., Rey-Bosch, R. and Saldivar-Fitzmaurice, O.
Impacted canine status and results evaluation after surgical treatment 443(22)
Chávez-Lomeli, M. E. see Rey-Bosch, R.
Ciğer, S. see Özkan, S.; Telli, A.
Cooke, M. S. see Lau, L. Y. W.
Cozzani, M. and Rosa, M.
Class III: long-term evaluation of dental stability 443(23)
Cozzani, M. see Rosa, M.
Crawford, E. C.
The long-term effect of orthodontic treatment—A study of occlusal change using the PAR Index 332(9)
Cura, B. see Isiksal, E.
Cura, N., Saraç, M., Özturk, Y. and Tankuter, N.
Orthodontic and orthopaedic effects of activator, activator-HG combination and Bass appliances: a comparative study 444(24)
Curzon, M. E. J. see Franklin, D.

Darendelier, M. A. and Üner, O.
Drum spring retractor: constant and continuous force on canine retraction 333(10)
De Franco, D. J., Sforza, C. and Ferrario, V. F.
Facial form assessment using a computerised modified mesh diagram analysis 444(25)
De Smit, A. see Heier, E.; Saelens, N.
de Zegher, F. see Mulier, M. G.; Van Erum, R.

Deng, Y. M., Fu, M. K. and Hägg, U.
Prevalence of temporomandibular joint dysfunction in Chinese children and adolescents 444(26)
Dermaut, L. see Lamoot, L.
Di Lello, M. T. see Laino, A.
Dibbets, J. M. H.
The morphological continuities between the Angle classes 333(11)
Diedrich, P. R., Fuhrmann, R. A. W. and Wehrbein, H.
New developments in diagnosis and treatment in orthodontics 333(12)
Diedrich, P. R. see Fuhrmann, R. A. W.; Wehrbein, H.
Dinçer, M. see Iscan, H. N.
Doğan, S. and Ertürk, N.
Long-term evaluation of Class III patients treated by facemask 334(13)
Donohue, V., Evans, R. and McDonald, F.
Vital staining as an indicatior of cytotoxocity of neodymium iron boron magnets 445(27)
Droschl, H. see Feldner, J. C.; Muchitsch, A. P.; Weiland, F.
Dürr, J. K. and Jonas, I. E.
Tooth mobility after orthodontic treatment with removable and fixed appliances: post-retention findings 445(28)
Dürr, W. see Jost-Brinkmann, P-G.

Eckardt, L., Hönicke, K., Harzer, W. and Trenkmann, U.
Correlation between malocclusion and electromyographical activity of various muscle groups 445(29)
Eckardt, L. see Harzer, W.
Eliasson, S. see Forsberg, C-M.
Enacar, A., Haydar, B., Kocadereli, I., Ugur, T. and Aksoy, A.
Divine proportions of Class III patients treated with orthognathic surgery 446(30)
Enacar, A., Kocadereli, I., Haydar, B., Saatçi, P. and Sençift, Y.
Changes in dentofacial morphology in cleft palate children treated by maxillary protraction headgear 446(31)
Ertürk, N. see Doğan, S.
Erverdi, N., Alcan, T. and Biren, T.
Comparison of corticotomy assisted and normal rapid palatal expansion procedures in twins with the help of computerised tomography 446(32)
Erverdi, N. and Ateş, S.
Comparison of RPE-assisted and normal Delaire mask applications by means of cephalometric evaluation 334(14)
Erverdi, N. see Arun, T.; Biren, S.; Küçükkeles, N.
Evans, R. and McDonald, F.
The response of cartilage to growth factors 447(33)
Evans, R. see Donohue, V.; McDonald, F.

Faltin Jr., K., Beatriz, M., Gomide, B., Avancini, M. P. and Kessner, C. A.
Orthopaedic and orthodontic results in the treatment of Class III malocclusions in young patients 447(34)
Fano, V., Pizzoni, D and Pizzoni, L.
Forces and moments delivered by transpalatal arches and Quadhelix: an experimental study 448(35)
Feldner, J. C., Droschl, H. and Bantleon, H-P.
Load-deflection behaviour of closed Ni-Ti coil springs over a 4-month period in a simulated oral environment 335(15)
Felisio, A. see Schmid, W.
Ferrario, V. F., Sforza, C., Poggio, C. E., Ciusa, V. and Tartaglia, G.
Facial three-dimensional morphometry by a new non-invasive method 448(36)
Ferrario, V. F., Sforza, C., Poggio, C. E., Giani, S. and Serrao, G.
Soft tissue facial three-dimensional morphometry: a growth study 448(37)
Ferrario, V. F. see De Franco, D. J.
Filippidis, G., Zentner, A. and Sergl, H. G.
A holographic investigation of the initial bone displacement in a macerated human skull occurring in response to headgear traction 449(38)
Filippidis, G. see Zentner, A.
Fischbach, H., Kahl-Nieke, B. and Schwarze, C. W.
The treatment of skeletal Class II with removable appliances—a retrospective evaluation over 25 years 449(39)
Fischer, K. see Brattström, V.
Fischer-Brandies, H. and Burghard, V.
Deposition of fluoride in enamel after bracket fixation with glass ionomer cement 450(40)
Fischer-Brandies, H. and Meinardus, K.
Adhesion of ceramic brackets to enamel 450(41)
Fischer-Brandies, H. see Bönhoff, M.
Forbes, D. see Rabie, A. M.
Forsberg, C-M., Linder-Aronson, A. and Eliasson, S.
Skeletal and soft tissue profile changes during 20 years of adulthood 335(16)
Forsberg, C-M. see Linder-Aronson, A.
Fox, N. A.
Regional differences in the perception and treatment of malocclusion 450(42)
Franklin, D. L., Luther, F. and Curzon, M. E. J.
The prevalence of malocclusion in children with cerebral palsy 451(43)
Freeman, E. see Altuna, G.
Fu, M. K. see Deng, Y. M.
Fuhrmann, R. A. W., Wehrbein, H. and Diedrich, P. R.
3D-imaging and 3D-CT skull models in diagnosis and treatment planning 335(17)
Fuhrmann, R. A. W. see Diedrich, P. R.; Wehrbein, H.
Fushima, K. see Inui, M.

Geiss, E. and Pancherz, H.
Does the activator procline the lower incisors? 336(18)
Giani, S. see Ferrario, V. F.
Gökalp, A. see Göyenç, Y.
Gomide, B. see Faltin Jr., K.
Goodwin, P. see Moss, J. P.
Göyenç, Y., Karaman, A. I. and Gökalp, A.
Orthodontic treatment in cases of transposition of maxillary canines 451(44)

Göz, G. R., Bacher, M., Ney, T. and Werner, O.
Class III treatment with functional appliances 451(45)
Göz, G. see Ney, T.
Graber, T. M.
Magnets and impacted canines 336(19)
Grabowski, R. and Böhmer, P.
Treatment of cleft palate patients with the function regulator of Fränkel 451(46)
Greck, B. see Bacon, W.
Grivu, O. and Podariu. A.
A comparative study of the part played by sucking habits in the genesis of dento-maxillary anomalies according to the psycho-socio-biological factors 452(47)
Gültan, A. S. see Işcan, H. N.
Güray, Y. E. and Karaman, A. I.
Effects of adenoidectomy on dentofacial structures—a 6-year longitudinal study 452(48)
Güray, Y. E. and Karaman, A. I.
Effects of nasal obstruction on dentofacial structures 452(49)
Güray, Y. E. and Orhan, M.
Selçuk-type headgear-timer (STHT): its accuracy and effect on headgear co-operation 453(50)

Hägg, E. U. see Tse, E. L. K.
Hägg, U. see Bendeus, M.; Deng, Y. M.; Imudom, S.; Lau, L. Y. W.; Nelson, B.; Wang, G.; Wong, G.
Halazonetis, D.
Computer experiments using a two-dimensional model of tooth support 453(51)
Hamano, Y. see Murakami, T.
Hammarström, L. see Hellsing, E.; Karsten, J.
Hanada, K., Ike, G., Sawahata, Y. and Morita, S.
Effects of Class III elastics for reversed occlusion in the mixed dentition 336(20)
Hanada, K. see Terada, K.
Hansen, K. see Nelson, B.
Haralabakis, N. B.
Postero-anterior dimensions of a Class II division 1 sample as related to a Class I population 454(52)
Harzer, W., Trenkmann, U. and Eckardt, L.
Topography of surface potentials (EMG-mapping) of the masseter under different basic functions 454(53)
Harzer, W. see Eckardt, L.
Haydar, S. see Akkaya, S.; Enacar, A.; Özkan, S.
Heidbüchel, R. K. J. M. see Kuijpers-Jagtman, A. M.
Heier, E., De Smit, A., Wijgaerts, I. and Adriaens, P. A.
Periodontal implications of bonded versus removable retainers 454(54)
Hellsing, E. and Hammarström, L.
The hyaline zone and associated root resorption in experimental orthodontics in rats 337(21)
Hellsing, E. see Karsten, J.
Hepworth, C. M. and Sherriff, M.
Metal and ceramic brackets compared by the finite element method 455(55)
Herlin, T. see Pedersen, T. K.
Hilgers, R.-D. see Kahl-Nieke, B.
Hirschfelder, H. see Hirschfelder, U.
Hirschfelder, U. and Hirschfelder, H.
Large volume CT-scanning of the complete facial skeleton in a one-scan-techniqe 455(56)
Hirschfelder, U., Kalender, W. and Hirschfelder, H.
Three-dimensional models of the individual facial skull by stereolithography 455(57)
Högel, A. see Katsaros, C.
Holtgrave, E. A. see Kretschmer, R.
Hönicke, K. see Eckardt, L.
Hönigl, K. D. and Bantleon, H-P.
Influence of friction due to different bracket-wire combinations on the force system during levelling 337(22)
Hons, I., Carels, C. and Verbeke, G.
A comparative clinical study of four orthodontic bonding systems 456(58)

Ike, G. see Hanada, K.
Imudom, S., So, L. and Hägg, U.
Occlusal characteristics of 5-year-old Southern Chinese children 456(59)
Ingervall, B. see Weiland, F.
Inui, M., Fushima, K., Sato, S. and Suzuki, Y.
Facial asymmetry in patients with internal derangement of TMJ 456(60)
Işcan, H. N., Gültan, A. S. and Dinçer, M.
The effects of the vertical chin-cap on the mandibular morphology 457(61)
Işeri, H. and Özbek, M. M.
Soft tissue profile changes in deep bite treatment: extraction versus non-extraction 457(62)
Işeri, H. see Memikoğlu, T. U.
Isikşal, E., Cura, B. and Uzunoğlu, A.
Modified Nance appliance with NiTi coil for unilateral molar distalization 457(63)

Jonas, I. E. see Dürr, J. K.
Jonason, T. see Kiliaridis, S.
Jost-Brinkmann, P-G., Loidl, H., Dürr, W. and Miethke, R-R.
In vitro study on the temperature increase caused by thermodebonding of ceramic brackets 337(23)
Jost-Brinkmann, P-G. see Cha, B. K.; Peng, C-L.

Kahl-Nieke, B., König, A., Lehnert, C. and Hilgers, R.-D.
Aethylcyanoacrylate as bonding material—*in vitro* tensile and shear bond strength 458(64)
Kahl-Nieke, B. see Fischbach, H.
Kajiyama, K. see Murakami, T.
Kalender, W. see Hirschfelder, U.
Karabulut, G. see Özkan, S.
Karaman, A. I. see Göyenç, Y.; Güray, Y. E.
Karlsson, S. see Kiliaridis, S.
Karsten, J., Hellsing, E. and Hammarström, L.
Orthodontic tooth movement in rats—effect of phenytoin on periodontal ligament 338(24)
Katsaros, C., Berg, R. and Högel, A.
Effect of orthodontic treatment on the soft tissue profile 338(25)
Katsaros, C. see Kiliaridis, S.
Katsavrias, E., Bitsanis, E. and Spyropoulos, M.
Bond strength of etched tooth surface contaminated with saliva: an *in vitro* study 339(26)

Katsavarias, E. see Bitsanis, E.
Kavvadia, S. see Kolokythas, G.; Markovitsi, E.
Kessner, C. A. see Faltin Jr., K.
Kiekens, R. M. see Carels, C.
Kiliaridis, S., Katsaros, C. and Karlsson, S.
The effect of masticatory muscle fatigue on cranio-vertical head posture and rest position of the mandible 458(65)
Kiliaridisis, S., Ringqvist, M. and Jonason, T.
Masseter muscle thickness in orthognathic surgery patients 339(27)
Kiliaridis, S. see Raadsheer, M. C.
Kingdon, A. see Pilley, R.
Kirschen, R. H. see O'Higgins, E. A.
Kjær, I.
Which dentitions are particularly prone to root resorption during orthodontic treatment? 339(28)
Kjellberg, H. see Bumann, A.
Klages, U. see Sergl, H. G.
Kocadereli, I. see Enacar, A.; Telli, A.
Kokkinos, P., Shaye, R., Alam, B. and Alam S.
Effect of diet induced changes in prostaglandin E_2 levels on orthodontic tooth movement 459(66)
Kolokythas, G., Kavvadia, S., Markovitsi, E., Athanasiou, M. and Tsatra, I.
Cephalometric indentification of patients with B-homozygous thalassaemia in Greece 459(67)
Kolokythas, G. see Markovitsi, E.; Sidiropoulou-Chatzigiannis, S.
Köndell, E. see Brattström, V.
König, A., see Kahl-Nieke, B.
Komorowska, A.
Supernumerary tooth formation and development 459(68)
Komposch, G. see Basdra, E. K.
Konstiantos, K. see Maragou-Papaioannou, O.
Kretschmer, R. and Holtgrave, E. A.
Acceleration in tooth development. Fact or fallacy? 340(29)
Küçükkeles, N. and Erverdi, N.
Dento-skeletal and soft tissue changes associated with sagittal splitting osteotomy of the mandible in skeletal Class III malocclusion 460(69)
Kuijpers-Jagtman, A. M. and Heidbüchel, R. K. J. M.
Stability of Class III treatment during growth 340(30)
Kurol, E.
Orofacial treatment with an intra-oral plate in newborn children with unilateral cleft lip and palate 460(70)
Kurol, J., Modin, H. and Bjerkhoel, A.
Orthodontic maxillary expansion and effect on nocturnal enuresis in children 460(71)
Kurol. J., Owman-Moll, P. and Lundgren, D.
Early time-related tissue reactions after application of a controlled continuous orthodontic force 340(31)
Kurol, J. see Berglund, L.; Bondemark, L.
Küster, R-M. see Bumann, A.
Kvint, S. see Berglund, L.
Lagoudakis, M. see Athanasiou, A. E.
Laine, M. T.
Utility of aerodynamic assessment of nasal impairment in orthodontic patients 341(32)
Laino, A., Boscaino, F. and Valletta, R.
Cephalometric evaluation of combined orthodontic-treatment in Class III patients 461(72)
Laino, A., Di Lello, M. T. and Boscaino, F.
Cephalometric changes in skeletal Class III patients with combined surgery 461(73)
Lamoot, L. and Dermaut, L.
Incisor position and lip line height 461(74)
Larsson, Å. see Bondemark, L.
Lau, L. Y. W., Cooke, M. S. and Hägg, U.
Effect of training and experience on inter-examiner cephalometric errors 461(75)
Lee, R. T., O'Higgins, E. A. and Kirschen, R. H.
Effects of tooth shape, inclination, and angulation on arch length 462(76)
Lehnert, C. see Kahl-Nieke, B.
Lesaffre, E. see Mulier, M. G.
Levander, E., Bajka, R. and Malmgren, O.
Instant X-ray images for diagnosis of root resorption during orthodontic treatment 462(77)
Lewis, M. A. see Moore, R. N.
Lieberman, M. see Vardimon, A. D.
Linder-Aronson, A., Lindskog, S., Forsberg, C-M. and Rygh, P.
Leukoplakia of the buccal mucosae in relation to orthodontic magnets 341(33)
Linder-Aronson, A. see Forsberg, C-M.
Lindqvist, B., Welander, U. and Mähler, R.
A three-dimensional photographic method for documenting bite conditions and orthodontic results 462(78)
Lindskog, S. see Linder-Aronson, A.
Ling, J. see Wang, G.
Linney, A. D. see Moss, J. P.
Liu, H.-H. see Terada, K.
Loidl, H. see Jost-Brinkmann, P-G.
Lonergan, M. see Rabie, A. M.
Lundgren, D. see Kurol, J.
Luther, F. see Franklin, D.
Mähler, R. see Lindqvist, B.
Malmgren, O. see Levander, E.
Maragou-Papaioannou, O., Spyropoulos, M. N., Konstiantos, K. and Papaioannou, A.
Greek public awareness related to patients with CLP 463(79)
Markovitsi, E., Kavvadia, S., Athanasiou, M., Tsatra, I. and Kolokythas, G.
Transverse dentofacial structure of patients with B-homozygous thalassaemia in Greece 463(80)
Markovitsi, E., Topouzelis, N. and Zafiriadis, A.
Components of Class II division 2 malocclusion in children and adults 463(81)
Markovitsi, E. see Kolokythas, G.; Zafiriadis, A.
Martina, R., Nichelotti, A., Parella, H. and Vollaro, S.
Mandibular rest position and electrical activity of the masticatory muscles 341(34)
Mason, W. see McDonald, F.

Matuda, M. see Murakami, T.
Mayer, T. see Basdra, E. K.
Mazaheri, M. see Athanasiou, A. E.
McDonald, F., Samosundaram, B., Mason, W., Evans, R. and Meikle, M.
The response of transformed osteoblasts to external loads 342(35)
McDonald, F. see Donohue, V.; Evans, R.; Robinson, P.
Meikle, M. see McDonald, F.
Meinardus, K. see Fischer-Brandies, H.
Melsen, B. see Pedersen, T. K.
Memikoğlu, T. U., Işeri, H. and Uysal, M. E.
Three-dimensional dentofacial changes with bonded and banded rapid maxillary expansion (RME) appliances 342(36)
Meral, O. see Yüksel, S.
Miethke, R.-R. see Cha, B.K.; Jost-Brinkman, P-G.; Peng, C-L.
Milleding, A., Örtendahl, T. W. and Mohlin, B.
A comparative study of torque properties for different bracket materials 342(37)
Milošak, T. see Rajić, S.
Miyawaki, S. see Takada, K.
Modin, H. see Kurol, J.
Mohlin, B. see Milleding, A.; Pilley, R.
Mongini, F. see Schmid, W.
Moore, R. N. and Lewis, M. A.
Measurement of intra-oral forces and craniofacial movement using computerised techniques 464(82)
Morita, S. see Hanada, K.
Moss, J. P.
The education and training of personnel auxiliary to dentistry: Nuffield Inquiry 343(38)
Moss, J. P., Linney, A. D., Campos, J. and Goodwin, P.
A longitudinal study and analysis of changes in facial morphology during growth in a group of 70 hemifacial microsomia patients compared with a group of 170 normal patients 343(39)
Moss, J. P. see Stern, M. R.
Muchitsch, A. P. and Droschl, H.
Results of Class III treatment in relation to the beginning of therapy 343(40)
Mulier, M. G., Van Erum, R., Carels, C., Verbeke, G., Lesaffre, E. and de Zegher, F.
Influence of growth hormone therapy on craniofacial development in small children after intra-uterine growth retardation 464(83)
Mulier, M. G. see Van Erum, R.
Murakami, T., Matuda, M., Kajiyama, K. and Hamano, Y.
Orthopaedic treatment effect of reversed occlusion in deciduous dentition 464(84)
Muretić, Z. see Rajić, Š.; Šlaj, M.

Nanda, R. S. and Parker, C. D.
Skeletal and dental changes following treatment of deep-bite malocclusions 344(41)
Nelson, B., Hansen, K. and Hägg, U.
Dental and skeletal effects in Class II division 1 patients treated with fixed appliances and Class II elastics: a cephalometric study 465(85)
Nergiz, I. see Akin-Nergiz, N.
Ney, T., Göz, G. and Bacher, M.
A non-invasive method to detect load dependent tooth and bone displacement 465(86)
Ney, T. see Göz, G. R.
Nichelotti, A. see Martina, R.

O'Higgins, E. A. see Lee, R. T.
Orhan, M. see Güray, Y. E.
Örtendahl, T. W. see Milleding, A.
Orton, H. S. see Battagel, J. M.
Ostwald, J. and Pancherz, H.
The lower third molar—eruption of impaction? 344(43)
Owman-Moll, P. see Kurol, J.
Özbek, M. M. see Iseri, H.
Özkan, S., Haydar, B., Karabulut, G., Aksoy, A. and Ciğer, S.
Effects of retainers on the articulation of speech 465(87)
Özturk, Y. see Cura, N.

Pancherz, H.
Early versus late Herbst treatment. Stability or relapse? 344(44)
Pancherz, H. see Buchholtz, S.; Geiss, E.; Ostwald, J.; Ruf, S.
Papadopoulos, M. A. see Athanasiou, A. E.
Papaioannou, A. see Maragou-Papaioannou
Papavassiliou, A. G. see Basdra, E. K.
Parella, H. see Martina, R.
Parker, C. D. see Nanda, R. S.
Paulsen, H. U.
Herbst treatment. The effect on TMJ condyles of 100 cases treated in the period of puberty to adulthood 345(45)
Pedersen, T. K., Bosch, C., Herlin, T. and Melsen, B.
Secondary effects in the maxilla in children with unilateral TMJ-arthritis 466(88)
Peng, C-L., Jost-Brinkmann, P-G. and Miethke, R-R.
Investigation of patients with tongue thrust habit during swallowing with the computer-aided-B + M-mode ultrasonography 345(46)
Perković, M. see Šlaj, M.
Piekarczyk, B., Pietrzak-Bilińska, B., Piekarcyzk, J. and Swiatnicki, Z.
Cephalometric analysis using original computer expert system 466(89)
Piekarczyk, B. see Zadurska, M.
Pierkarcyzk, J. see Piekarczyk, B.
Pietilä, I., Pietilä, T., Widström, E., Varrela, J. and Alanen, P.
Economic appraisal of orthodontic care in Finnish health centres 466(90)
Pietilä, T., Pietilä, I., Widström, E. and Varrela, J.
Orthodontic services in Finnish health centres in 1992 466(91)
Pietilä, T. see Pietilä, I.
Pietrzak-Bilińska, B. see Piekarczyk, B.
Pilley, R., Mohlin, B., Shaw, W. C. and Kingdon, A.
Influence of orthodontic treatment on CMD 346(47)
Pizzoni, D. see Fano, V.
Pizzoni, L. see Fano, V.
Platzer, U. see Akin-Nergiz, N.
Podariu, A. see Grivu, O.
Poggio, C. E. see Ferrario, V. F.
Prahl-Andersen, B. and ter Heege, G.
Quality assurance in orthodontics. A European Union project 346(48)
Prahl-Andersen, B. see Raadsheer, M. C.

Raadsheer, M. C., Kiliaridis, S., van Eijden, T. M. G. J., van Ginkel, F. C. and Prahl-Andersen, B.
Masseter muscle thickness during growth and its relationship to facial morphology 347(49)
Rabie, A. M., Lonergan, M. and Forbes, D.
An experimental study of the effects of fixation versus non-fixation on the healing of onlay bone grafts 347(50)
Rajić, S., Šlaj, M., Milošak, T. and Muretić, Ž.
Tooth movement distribution using active plates for distal movement 467(92)
Reinhardt, R., Richter-Bahr, S. and Sergl, H. G.
The tendency of mandibular rotation in the orthopantomogram 468(93)
Remmelink, H-J. and Witsenberg, B.
Reconstruction of residual alveolar palatal bone defects in cleft patients 347(51)
Rey-Bosch, R., Chávez-Lomeli, M. E. and Saldivar-Fitzmaurice, O.
Radiographic study of the nasopharyngeal space related to growth patterns 468(94)
Rey-Bosch, R. see Chávez-Lomeli, M. E.
Rice, D. P. C. and Roberts, G. J.
Longitudinal study of craniofacial catch-up growth in Snell strain mice 468(95)
Richter, M.
Anterior posterior path in man 348(52)
Richter-Bahr, S. see Reinhardt, R.
Ringqvist, M. see Kiliaridis, S.
Roberts, G. J. see Rice, D. P. C.
Robinson, P. and McDonald, F.
The chin in Class III cases: an orthognathic consideration 468(96)
Rosa, M. and Cozzani, M.
Extraction of second deciduous molars in early treatment of severe Class III 469(97)
Rosa, M. see Cozzani, M.
Ruf, S. and Pancherz, H.
Development of the frontal sinus—a possibility for predicting somatic and skeletal maturity? 469(98)
Ryan, A. A. and Waters, N. E.
The unloading forces of superelastic nickel titanium coil springs 469(99)
Rygh, P. see Linder-Aronson, A.

Saatçi, P. and Yukay, F.
The effect of premolar extractions on tooth size discrepancy 348(54)
Saatçi, P. see Enacar, A.
Saelens, N. and De Smit, A.
Therapeutic changes after extraction of first and second premolars 470(100)
Saito, I. see Terada, K.
Saldivar-Fitzmaurice, O. see Chávez-Lomeli, M. E.
Samosundaram, B. see McDonald, F.
Sander, F. G. see Wichelhaus, A.
Saraç, M. see Cura, N.
Sato, S. see Inui, M.
Sawahata, Y. see Hanada, K.
Schlegel, A. see Schweizer, C.
Schmid, W., Mongini, F. and Felisio, A.
Assessment of masticatory function before and after treatment of malocclusion 348(55)
Schwarze, C. W. see Fischbach, H.
Schwarzer, C., Bumann, A., Carvalho, R. and Yen, E.
Metabolic and ultrastructural changes of periodontal ligament cells *in vitro* 470(101)
Schwarzer, C. see Bumann, A.
Schweizer, C. and Schlegel, A.
Indications for endosseous implants in orthodontic therapy 349(56)
Serrao, G. see Ferrario, V. F.
Sergl, H. G., Klages, U., Zentner, A. and Stalter, M.
An investigation into the influence of treatment duration and age on the co-operation of orthodontic patients 470(102)
Sergl, H. G. see Filippidis, G.; Reinhardt, R.; Zenter, A.
Şençift, Y. see Enacar, A.
Sforza, C. see De Franco, D. J.; Ferrario, V. F.
Shaw, W. C. see Pilley, R.
Shaye, R. see Kokkinos, P.
Sherriff, M. see Hepworth, C. M.
Sidiropoulou-Chatzigiannis, S., Antoniadis, K. and Kolokythas, G.
Orthopaedically induced condylar growth in a patient with hemifacial microsomia 470(103)
Šlaj, M., Perković, M. and Muretić, Z.
Tooth movement computer analysis on digitized images of modified typodont 471(104)
Šlaj, M. see Rajić, S.
So, L. see Imudom, S.; Wong, G.
So, L. L. Y. see Tse, E. L. K.
Sonko, A. see Bacon, W.
Spigler, A. see Vardimon, A. D.
Spyropoulos, M. see Bitsanis, E.; Katsavrias, E.
Spyropoulos, M. N. see Maragou-Papaioannou, O.
Stalter, M. see Sergl, H. G.
Stern, M. R. and Moss, J. P.
3-D palatal measurement using a linear laser scanner 471(105)
Suzuki, Y. see Inui, M.
Swiatnicki, Z. see Piekaczyk, B.

Takada, K. and Miyawaki, S.
Is human chewing performance sensitive to direction of occlusal force? 472(107)
Takada, K. and Yashiro, K.
Automatic measurement of masticatory muscle activity: a new algorithm 471(106)
Tankuter, N. see Cura, N.
Telli, A., Ciğer, S. and Kocadereli, I.
The long-term evaluation of orthodontically treated Class III patients 472(108)
Terada, K., Saito, I., Liu, H.-H. and Hanada, K.
Longitudinal length change of fingers and mandible with a logistic function 472(109)
ter Heege, G. see Prahl-Andersen, B.
Thilander, B. see Bumann, A.
Tindlund, R. S.
Skeletal response to anterior protraction of the upper jaw in patients with cleft lip and palate 349(57)
Toms, A. see Whittle, S.
Topouzelis, N. see Markovitsi, E.; Zafiriadis, A.
Toutountzakis, N. see Athanasiou, A. E.
Trenkmann, U. see Eckardt, L.; Harzer, W.

Tsatra, I. see Kolokythas, G.; Markovitsi, E.
Tse, E. L. K., Hägg, E. U. and So, L. L. Y.
A comparative study of treatment effects of two Herbst appliances 473(110)

Üçem, T. see Yüksel, S.
Uğur, T. see Enacar, A.
Üner, O. and Yücel-Eroglu, E.
Are we playing games with craniofacial correlations? 473(111)
Üner, O. see Darendelier, M. A.
Uysal, M. E. see Memikoğlu, T. U.
Uzunoğlu, A. see Isiksal, E.

Valletta, R. see Laino, A.
van Eijden, T. M. G. J. see Raadsheer, M. C.
Van Erum, R., Mulier, M. G., Carels, C., Verbeke, G. and de Zegher, F.
Effect of high-dose growth hormone therapy on dental maturation in small children after intra-uterine growth retardation 474(112)
Van Erum, R. see Mulier, M. G.
van Ginkel, M. C. see Raadsheer, M. C.
Vardimon. A. D., Brosh, T., Spigler, A. and Lieberman, M.
Residual strains (forces) during and after rapid maxillary expansion treatment 349(58)
Varrela, J. see Pietilä, I.; Widström, E.
Verbeke, G. see Carels, C.; Hons, I.; Mulier, M. G.; Van Erum, R.
Verdonck, A. see Carels, C.
Vollaro, S. see Martina, R.
von Konow, L. see Brattström, V.

Walker, D. A. see Altuna, G.
Wang, G., Hägg, U. and Ling, J.
Need for orthodontic treatment in 12 year-old Chinese children 474(113)
Waters, N. E. see Ryan, A. A.
Weiland, F., Ingervall, B. and Droschl, H.
Treatment of Class II malocclusion with Jasper Jumper and activator 350(59)
Wehrbein, H., Fuhrmann, R. A. W. and Diedrich, P. R.
A gingival invagination area after space closure—histological findings in man 474(114)
Wehrbein, H. see Diedrich, P. R.; Fuhrmann, R. A. W.
Welander, U. see Lindqvist, B.
Werner, O. see Göz, G. R.
Whittle, S. and Toms, A.
Primary failure of eruption: congenital or acquired? 475(115)
Wichelhaus, A. and Sander, F. G.
Optimization of canine retraction by using a combination of nickel titanium and stainless steel 475(116)
Widström, E., Varrela, J. and Alanen, P.
Orthodontic services in Finnish health centres in 1992 467(91)
Widström, E. see Pietilä, I.
Wijgaerts, I. see Heier, E.
Willems, G. see Carels, C.
Winchester, L. and Boorman, J.
A method of recording the severity of cleft lip and palate prior to surgery 475(117)
Wisten, Å. see Bondemark, L.
Wisth, P. J.
Diagnosis and treatment of Class III malocclsuions—an orthodontic challenge 350(60)
Wisth, P. J. see Birkeland, K.
Witsenberg, B. see Remmelink, H-J.
Wong, G., Hägg, U. and So, L.
The reliability and validity of the Pancherz cephalometric system 475(118)

Yashiro, K. see Takada, K.
Yen, E. see Schwarzer, C.
Yen, E. H. K. see Carvalho, R. S.
Young, D. R.
Isolation and partial characterization of growth factors from rabbit bone 351(61)
Yücel-Eroglu, E. see Bassimitçi, S.; Üner, O.
Yüksel, S., Üçem, T. and Meral, O.
The effect of hypodontia on craniofacial morphology 476(119)
Yukay, F. see Saatçhi, P.

Zadurska, M. and Piekarczyk, B.
Rare cases of Freeman–Sheldon syndrome (whistling face syndrome) 476(120)
Zafiriadis, A., Topouzelis, N. and Markovitsi, E.
Components of open bite malocclusion in children and adults 476(121)
Zafiriadis, A. see Markovitsi, E.
Zentner, A., Filippidis, G. and Sergl, H. G.
A comparative holographic investigation of the effects of force magnitude of headgear traction applied in different directions on the initial bone displacement in a macerated human skull 477(122)
Zentner, A. see Filippidis, G. and Sergl, H. G.